2024/06/02 16:00 1/3 Styrling Shot 12

Styrling Shot 12

With the prevalence of more high-end, semi-automatic shotguns distributed to the military, Styrling decided to appeal to the "every-day man" and develop a relatively cheap, but robust, pump action shotgun. Chambered for the standard 12 Gauge shell that has become commonplace in every gun store, the shooter does not need to buy special Styrling-manufactured shells such as the Styrling .45, however, coupons on components and gear are available in each ammunition box.

Weapon Specifications

Nomenclature Information

• Designer: John Skwigleff

Manufacturer: Styrling Vervaardiging
Name: Styrling Shot 12 (Sv-SSG-01a)

Type: Pump Action ShotgunDamage: Personnel 3.

Role: ShotgunLength: 35 inches

• Barrel Length: 19 inches

• Mass: 9.12 lbs

• **ROF:** Depends on the shooter's ability to pump the shotgun.

Appearance



Discharge Information

Last update: 2023/12/21 00:58

Projection/ammo type: 12 Gauge Buckshot

Firing Mechanism

Pump Action

A pump-action firearm is typically fed from a tubular magazine underneath the barrel, which also serves as a guide to the movable fore-end. The rounds are fed in one by one through a port in the receiver, where they are pushed forward. A latch at the rear of the magazine holds the rounds in place in the magazine until they are needed. If it is desired to load the gun fully, a round may be loaded through the ejection port directly into the chamber, or cycled from the magazine, which is then topped off with another round.

This model lacks a trigger dis-connector, allowing the user to "slam fire" (hold the trigger down and rack the slide, allowing it to shoot faster, somewhat.)

Ammunition Description

Caliber: 12 Gauge Buckshot
Effective Range 40 Meters
Maximum Range: 50 Meters
Muzzle Velocity: 1250 (FPS)

Muzzle Blast: Large flash followed by traces of burning powder

• Firing Mode: Pump Action

• Recoil: Heavy.

12 Gauge Buckshot

- Visual Description: Long red cylinder with a brass base.
- Ammo: 5 per magazine, 1 in chamber
- Damage Description: (Tier 2, Medium Anti-Personnel)Numerous pellets strike target at once, damage decreasing as distance to target increases.

Weapon Mechanisms

- Safety: Button on the back of the receiver.
- Fire Mode Selector: None, Pump Action Only.
- Weapon Sight: Ghost Ring Sights.
- Attachment Hard Points: One on the top of the receiver. Side saddle mounted on the left of the shotgun.

https://wiki.stararmy.com/ Printed on 2024/06/02 16:00

Other

Field Maintenance Procedure: Wipe and clean after every mission, taking care to scrub the barrel down and all moving parts.

Pricing: 550 DA.

Replaceable Parts and Components:

- Extra Barrel (350 DA)
- Varying Chokes(100 DA)
- Magazine Tube Extension (200 DA)
- Compensator (120 DA)
- Bayonette Lug (80 DA)

Additional Ammo:

• Box of 45 Rounds (50 DA)

Accessories:

- Black Belt (10 DA, Free with purchase)
- Black Shell Pouch, attaches to belt. (30 DA, One Free With Purchase)
- Black Forearm Shell Holder, 4 Shells. (25 DA)

From:

https://wiki.stararmy.com/ - STAR ARMY

Permanent link:

https://wiki.stararmy.com/doku.php?id=corp:styrling_12_shot

Last update: 2023/12/21 00:58

