

Wruuph



WIP: This article is a work in progress and is not yet approved for usage in the RP.

General Information

Homeworld: [alixxion](#)

Language: A series of clicks and pheromones

Total Population: 4.5 billion

Culture: [culture](#)

The Wruuph are an Insectoid colony species which is in a symbiotic relationship with the [dakalar](#). The Wruuph are war-like and more violent in nature, they use weapons to train, fight the enemy and for fun. Believing that each living creature is from one Great Spirit beast and that eating it gives them gifts from the spirits.

Inside their hive, the Wruuph are live in each area of the hive as all Wruuph are part of the royal army or are bodyguards for the higher ranks of both species.

The Wruuph are between 7 foot to 12 foot from head to abdomen, and around 10 foot from head to ground. Their body have four arms and four legs, their hands have three claw-like fingers making a sort of claw and have a tough exoskeleton that can take some damage like a built-in armor, the Wruuph aren't that good-looking with their insectoid bodies but the Wruuph use pheromones that attract the opposite gender.

The Wruuph are fully carnivorous any vegetarian foods they eat comes back up quick quickly, they don't have a varied diet and can eat only eat meat.

The Wruuph are born in a larval stage that the parent looks after till the larva turns to a young Wruuph, the parents both look after the larva as there is no discrimination between genders.

The other of the Kal'kak empire is known as the [dakalar](#).

History

The Wruuph and the [dakalar](#) had always been odds at each other until it escalated to a full-blown war that lasted 50 years before the day of unification that the leaders of both sides decided enough blood has been spilled for just a small difference in belief after the day of unification. The Wruuph had promised that they would give protection and support to the [dakalar](#), being given the tech needed to do this by the [dakalar](#) using creatures from the planet that can work with the wide arrange of weapons the Wruuph brought with them.

After the unification, the Wruuph moved into the hives with the [dakalar](#) and over time they formed bonds with each other, realizing that much of what they did was the same. The two species slowly made their two cultures, holidays they both shared became one holiday for the two species to have together. The Lords of [dakalar](#) Hives brought Wruuph into the folds as leaders of the more militaristic positions.

With everything calming down and the planet becoming better for the two species, they decided it was time to try and see what other worlds were like, starting with the ones close to the home planet. The two planets orbiting the same sun as their own. One planet gave them new resources and items to make and use, the other couldn't be used for anything.

Physiology

The Wruuph are massive insectoid creatures, that come in a variety of different colors depending on their parents and what hive they come from.

The Wruuph have a large Mantis-like head that contains compound eyes made from numerous tiny lenses attached together. They also have three small simple eyes on the top of the head that detect light levels and polarization. Two antennae are attached to the head; these organs detect chemicals, air currents, and vibrations; they also are used to transmit and receive signals through touch. The head has two strong mandibles, used to carry food, manipulate objects, construct nests, and for defense.

Their head connects to their chest which has chitin covering the parts of the chest front where the vital organs are located, with four arms connected to the chest, two on the higher on the chest close to the head and two connected lower down just past halfway down the chest, their arms have three joints, one connecting the arm to the body, one that is half way down their arm that allows their arms to be more movable and the last joint connects the arms to the three claw hands. The Wruuph also have wings that are long, veined and membranous, narrower at the tip and wider at the base. The hindwings are broader than the forewings and the venation is different at the base. The veins contain haemolymph (blood) and both stiffen and strengthen the wings. The leading edge of each wing has a node where other veins join the marginal vein, and the wing is able to flex at this point, the wings also have a protective shell that covers the wings when not in use.

Their abdomen is jutting out from under the rest of their body, this part is also covered in chitin for protection, with four legs spread out for stability, this part of their body is larger than the other two parts of the Suu's body. Like the arms the legs have special joints one called the Coxa that joins the leg to the abdomen, a smaller joint that between the 'coxa' and the 'femur'. The Femur is usually long and stouter than the other segments and contains the main muscles used in running, jumping and digging. The tibia is also generally long serving to increase the length of the leg, as well as adding an extra joint and thus extra flexibility. The claws attached to the legs are covered in a lot of tiny hairs to help with staying on even smooth substances.

Head

The Wruuph have a large Mantis-like head that contains compound eyes made from numerous tiny lenses attached together. They also have three small simple eyes on the top of the head that detect light

levels and polarization. Two antennae are attached to the head; these organs detect chemicals, air currents, and vibrations; they also are used to transmit and receive signals through touch. The head has two strong mandibles, used to carry food, manipulate objects, construct nests, and for defense.

Eyes

The Wruuph's compound eyes are composed of a number of individual lenses, rather than a single lens as in a human's eye, the number of separate visual elements in adults is 28,000 per single eye.

This creates a considerable difference in the presentation of light stimulus to the Wruuph's brain, however, the ability of the Wruuph to navigate the world by means of visual stimuli suggest that they have overcome the problems inherent in this multi-faceted perception.

Much like human eyes, the eyes of the Wruuph, can be divided into four basic parts: the supportive material that keeps all the parts together; a light gathering part; a light receptor that converts the received light into electrical energy; and the nerves that carry the electrical impulses to the brain for analysis. In the compound eyes of Wruuph, these parts are repeated numerous times side by side in a space-saving hexagonal pattern.

The lens is formed by a transparent and colorless cuticle and it is usually biconvex, beneath this is the crystalline cone normally functions as a secondary lens.

The receptive parts of a Wruuph's eye are the retinula cells. Each ommatidium normally has eight retinula cells arranged to leave a central core space in the centre of the ommatidium, into which each retinula cell projects a series of microvilli, these microvilli are the actual light detecting part of the cells.

The corneal lens is supported by primary pigment cells and by secondary pigment cells. The retinula cells are connected to axons at the base of the eye, it is these which carry the information collected by the lenses and converted into electrical impulses to the brain, thus allowing the Suu to see.

Mandibles

The mandibles constitute the moveable aspects of the insect mouth, the mandibles are the equivalent of jaws with the exception that they move transversely.

Mandibles are used not only for feeding but also for attack and defense, and for manipulation of materials as in the nest building.

Thorax (chest)

The Wruuph's thorax has the four arms of the species and the four wings, the thorax has the vital organs of the Wruuph under the thick exoskeleton and is vertical to the ground.

The thorax is the main engine room of the Wruuph. The thorax is built up of a series of concave upper

and convex lower integumental plates. The thorax can be conveniently divided into three separate and normally easily visible sections called from the front, the prothorax the mesothorax and the metathorax.

Lower Arms

The lower arms are split into different parts.

- The Coxa, this is the most basal aspect of the arms and joins the leg to the abdomen.
- The Trochanter is usually small and serves as a joint between the coxa and the Humerus.
- The Humerus is usually long and stouter than the other segments and contains the main muscles used in digging, lifting and holding weapons if needed.
- The Radius is also generally long serving to increase the length of the leg, as well as adding an extra joint and thus extra flexibility and are connected to the hands.

Upper Arms

The upper arms are split into different parts.

- The Coxa, this is the most basal aspect of the arms and joins the leg to the abdomen.
- The Trochanter is usually small and serves as a joint between the coxa and the Humerus.
- The Humerus is usually long and stouter than the other segments and contains the main muscles used in digging, lifting and holding weapons if needed.
- The Radius is long and ends in a sharp point, the exoskeleton turns the Radius more into a slightly curved blade that can tuck into the rest of the upper arm when not in use.

Hands

The Wruuph's hand are two fingers and one thumb.

Wings

The wings are long, veined and membranous, narrower at the tip and wider at the base. The hindwings are broader than the forewings and the venation is different at the base. The veins contain haemolymph (blood) and both stiffen and strengthen the wings. The leading edge of each wing has a node where other veins join the marginal vein, and the wing is able to flex at this point.

Elytra

Wruuphs have a shell, or hard case, that protects their wings. The Elytra is exactly the same on the right side as it is on the left, they are a mirror image, or symmetrical, to one another.

abdomen

The abdomen has the four legs spread apart or better stability, this is also where the Wruuph can store nutrients for later need, it is the biggest part of the Wruuph and is horizontal to the ground.

The abdomen is built up of a series of concave upper integumental plates and convex lower integumental plates, the whole being held together by a tough yet stretchable membrane. It contains the insect's digestive tract and reproductive organs.

Legs

The legs are split into different parts.

- The Coxa, this is the most basal aspect of the leg and joins the leg to the abdomen.
- The Trochanter is usually small and serves as a joint between the 'coxa' and the 'femur'.
- The Femur is usually long and stouter than the other segments and contains the main muscles used in running, jumping and digging.
- The tibia is also generally long serving to increase the length of the leg, as well as adding an extra joint and thus extra flexibility.
- The Tarsus is the foot of the insect leg and can consist of five segments.
- The Claws are situated at the end of the tarsus and serve to assist the insect in holding onto a substrate. Between the claws may be found a special pad which acts using suction developed by large numbers of minute tubular hairs to help hold the insect to smooth substrates.

Cardiovascular and Digestive Systems

The Wruuph have an open circulatory system which differs in both structure and function from the closed circulatory system found in humans and other vertebrates. In a closed system, blood is always contained within vessels. In an open system, blood spends much of its time flowing freely within body cavities where it makes direct contact with all internal tissues and organs. The circulatory system is responsible for the movement of nutrients, salts, hormones, and metabolic wastes throughout the Wruuph's body. In addition, it plays several critical roles in defense:

- It seals off wounds through a clotting reaction,
- It encapsulates and destroys internal parasites or other invaders,
- The hydraulic properties of blood are important as well. The hydrostatic pressure generated internally by muscle contraction is used to facilitate hatching, molting, and expansion of body after

molting, physical movements, reproduction,

- Aids in thermoregulation, it can help cool the body by conducting excess heat away from active flight muscles or it can warm the body by collecting and circulating heat absorbed while basking in the sun.

A dorsal vessel is the major structural component of a Wruuph's circulatory system. This tube runs longitudinally through the thorax and abdomen, along with the inside of the dorsal body wall, it is a fragile, membranous structure that collects haemolymphs in the abdomen and conducts it forward to the head.

The Wruuph's digestive system is a closed system, with one long enclosed coiled tube called the alimentary canal which runs lengthwise through the body. The alimentary canal only allows food to enter the mouth, and then gets processed as it travels through the body. The alimentary canal has specific sections for grinding and food storage, enzyme production and nutrient absorption. Sphincters control the food and fluid movement between three regions. The three regions include the foregut, the midgut, and the hindgut.

Mating and reproduction

The male engages the female in courtship dance, to change her interest from feeding to mating. Courtship display has also been observed in other species, but it does not hold for all mantises.

The mating season in temperate climates typically begins in autumn. To mate following courtship, the male usually leaps onto the female's back and clasps her thorax with his forelegs. He then arches his abdomen to deposit and store sperm in a special chamber near the tip of the female's abdomen. The female then lays between one to five eggs. Eggs are typically deposited in a frothy mass that is produced by glands in the abdomen. This froth then hardens, creating a protective capsule. The protective capsule and the egg mass is called an ootheca.

Diet

The Wruuph are carnivorous and eat from the variety of meats on the planet

Environment

The Wruuph evolved on a planet with an ammonia-rich atmosphere and they have created respirators for themselves and the Dakalar for when they travel to other Planets that don't have the same amount of ammonia that they need to function and keep their cells working.

The Wruuph live in warm and humid places underground in great caves where they have built their homes and building out of sandstone from the older days, similar in look to ancient Greek architecture that few the years they have added metal reinforcements modifications to keep them from falling apart.

Life Cycle

The race, in general, can live for around 100 years

Nymph

When born to 6 months, the Wruuph are in the Nymph form and haven't fully developed wings or the size.

The nymph and adult insect are structurally quite similar, except that the nymph is smaller and has no wings or functional genitalia.

adult

From 6 months to one hundred, the Wruuph work in this time helping the hive and only recently to other planets and stars as the warriors, the adults normally form tight bonds with the others in their crew or group depending on their work.

Language

The Wruuph have a series of clicks and chirps they can make to talk with each other, and pheromones that also tell others what is going on.

Politics

Each Hive have their own Queen, which is the overall leader of the Hive and a group of high ranking officials for each department of the Hive, known as the Halik, these officials are known as the lord of their depart, for example, the lord of science and the lord of the fleet are two of the officials.

Technology

The Dakalar use biological weaponry, created from the various creatures of the planet, they use Biotech to for all their technologies.

Economy

The Dakalar do not use currency as they share out everything making sure that everyone is looked after,

each person gets what their need.

OOC

Created By [bloodyscarlet](#)

From:

<https://wiki.stararmy.com/> - **STAR ARMY**

Permanent link:

<https://wiki.stararmy.com/doku.php?id=species:wruuph&rev=1528066881>

Last update: **2023/12/20 16:44**

