


# Ke-H5-M3200 "Nesuto" Docking Platforms

The Nesuto (*Nest*) Docking Platforms are part of the "[Guriddo Defense System](#)", and came into service in [YE 32](#).



## About Nesuto Platform


The *Nesuto* Platform was developed to store the [Ke-H5-W3201 "Suzumebachi" Attack Drones](#). Each *Nesuto* has eighteen docking points to hold the attack craft.

## History

The *Nesuto Platform* was developed for use with the "[Guriddo Defense System](#)". It was created to fill the requirement of rapid deployment of the attack craft. The earlier concepts resembled large mobile hangars, but they would require all the facilities a living crew would require. When the decision was made to use the [Ke-H5-W3201 "Suzumebachi" Attack Drones](#) the designers realized they could simplify the storage facility by removing all the unnecessary elements and make it an unmanned installation.

## Appearance

The core of the *Nesuto* is the command module. From it protrude eighteen docking arms. Each arm is extend-able and ends in the docking assembly. It is colored in the [Star Army of Yamatai](#) blue.



## Statistical Data

### General

Class: *Nesuto* Nomenclature: Ke-H5-M3200 Type: Docking Platform Designers: [Ketsurui Fleet Yards, takumi](#) Manufacturer: [Ketsurui Fleet Yards](#) Organizations using this ship: [Star Army of Yamatai](#)

### Dimensions

Extended Length: 180 meters (590.4 feet) Width: 180 meters (590.4 feet) Height: 180 meters (590.4 feet)

Retracted Length: 90 meters (295.2 feet) Width: 90 meters (295.2 feet) Height: 90 meters (295.2 feet)



## Speeds

The *Nesuto* has no propulsion system. For movement to its operation position, the *Nesuto* uses the [Ke-H5-W3201 "Suzumebachi" Attack Drones](#) to maneuver. It can only move at a fraction of their maximum speed.

- Sublight Engines: .2c (~59,958 kilometers per second)

## Damage Capacity

See [Damage Rating \(Version 3\)](#) for an explanation of the damage system.

- Structure: 20 SP (Armor)

## Nesuto systems

### Construction

The *Nesuto* is constructed on a frame of [Durandium Alloy](#) and covered in [Durandium Alloy](#) plates.

### Docking Stations

The *Nesuto* has eighteen docking stations for the [Ke-H5-W3201 "Suzumebachi" Attack Drones](#). Once docked the [Suzumebachi](#) become slaved to the *Nesuto* computer system. Each of them are mounted on extending arms that allow the [Suzumebachi](#) to be deployed in less than thirty seconds from secured

mode. When the launch sequence is started, the arms extend which allow all the craft to safely launch without hitting each other.

## Aether Generator

The *Nesuto* uses a standard [Ketsurui Fleet Yards Aether Generator](#).

## Computer Sensors

The *Nesuto* uses a [Ketsurui Fleet Yards Compact Integrated Electronics System \(CIES\)](#)

From:  
<https://wiki.stararmy.com/> - **STAR ARMY**

Permanent link:  
[https://wiki.stararmy.com/doku.php?id=stararmy:starship\\_classes:guriddo:nesuto&rev=1561428085](https://wiki.stararmy.com/doku.php?id=stararmy:starship_classes:guriddo:nesuto&rev=1561428085)

Last update: **2023/12/21 02:35**

