2024/05/08 22:42 1/9 BW-MWS2 "Harbinger"

BW-MWS2 "Harbinger"

With the advent of new technologies and data gathered from previous projects and experiments, Section 6 realized in the later months of YE 40 that with their recent move (and the losses from the terror attack that occurred during their departure) that the stakes were now very, very high - thus with so much on the line they took the S6-MWS1-MAVERICK back to the drawing board and applied everything they had learned. Designed in conjunction with a brand new ammo type, the Harbinger was born to be the new standard for SABER units.

About the BW-MWS2 "Harbinger"

With Section 6's departure from Independent in YE 40, it was jointly agreed that defensive technologies needed to be furthered and made more efficient given the dangerous situation situation they were in. With the help of Aster Blake, the original designer of the S6-MWS1, they brought everything they'd learned up until this point and combined it into a newer model - one that would fulfill more roles, provide a weapon platform that could be customized to fit the soldier's performance standards and mission needs, and feature an experimental plasma-based ammunition hopefully capable of increasing the amount of damage an infantry rifle could put out.

Nomenclature Information

Below is the Harbinger's general information.

Designer: Section 6

• Manufacturer: Black Wing Enterprises

Name: S6-MWS2 "Harbinger"Nomenclature: S6-MWS2

• International Nomenclature: BW-W8-1A

• Type: Ballistic

• Role: Carbine, Dedicated Marksman Rifle, Heavy Sniper Rifle, Light Machine Gun, and Submachine Gun.

Configuration Lengths & Weights					
Configuration Length Weight					
Submachine Gun	15 inches ²⁾	5 pounds ³⁾			
Carbine	29 inches ⁴⁾	7 pounds ⁵⁾			
Dedicated Marksman Rifle	32 inches ⁶⁾	8 pounds ⁷⁾			
Light Machine Gun	34 inches ⁸⁾	10 pounds ⁹⁾			
Heavy Sniper Rifle	39 inches ¹⁰⁾	12 pounds ¹¹⁾			

Last update: 2023/12/21 04:20

Appearance

Despite the Harbinger having several configurations, its receiver, grip, and stock remain the same in appearance; additionally, the weapon's overall design emphasizes function over sleekness - though lines and curved segments are apparent across all setups. The receiver is of a slightly blocky design with geometric features, while the weapon's grip is angled blocky-looking piece with a gel comfort grip; lastly, the stock follows these same aesthetics.



2024/05/08 22:42 3/9 BW-MWS2 "Harbinger"





Discharge Information

Below is the Harbinger's discharge-related information.

- Muzzle Flash: Small pointed burst of escaping gases with a blue tint, low brightness.
- Retort: Weapon makes an audible bang unless suppressed.
 - Projectile Appearance: Fired rounds have bright blue colored tracer effect.

Configuration Ranges & Rates of Fire			
Configuration	Effective Range	Rate of Fire	
Submachine Gun	Variable ¹²⁾	700 rounds/minute	
Carbine	Variable ¹³⁾	500 rounds/minute	
Dedicated Marksman Rifle	900 yards ¹⁴⁾	100 rounds/minute	
Light Machine Gun	Variable ¹⁵⁾	600 rounds/minute	
Heavy Sniper Rifle	Variable ¹⁶⁾	75 rounds/minute	

Configuration Recoil Levels		
Configuration	Recoil	
Submachine Gun	Erratic and unsteady; aim will shift as far as an inch in any direction.	
Carbine	Moderate recoil that will tend to shift upwards.	
Dedicated Marksman Rifle	Significant recoil that will draw the weapon more towards the user with moderate force.	
Light Machine Gun	Heavy recoil; ¹⁷⁾ weapon fire will steadily draw aim up unless fired prone or with a stand.	
Heavy Sniper Rifle	Heavy recoil; ¹⁸⁾ aim will kick up and back into the shoulder unless deployed prone or with a stand.	

2024/05/08 22:42 5/9 BW-MWS2 "Harbinger"

Ammunition

The following sections contain information about the Harbinger's ammunition-related characteristics.

Configuration Ammuniti	ion Types &	Capacities			
Configuration	Capacity	Compatible Ammo Type(s)			
Submachine Gun	20 rounds	S6-10mm Standard	S6-10mm Hollow Point	S6-SCPR .45 ACP	S6-SCPR 10mm
Carbine	30 rounds	S6-6mm S6-SCPR 6mm		PR 6mm	
Dedicated Marksman Rifle	20 rounds	S6-SCPR .308			
Light Machine Gun	150 rounds	S6-6mm S6-SCPR 6mm		PR 6mm	
Heavy Sniper Rifle	15 rounds	S6-SCPR .50cal S6-SCPR .50cal EM		.50cal EM	

Harbinger Ammunition Damage Quickchart			
Ammunition Type	Purpose		
S6-10mm (Standard)	Tier 1, Light Anti-Personnel		
S6-10mm (Hollow Point)	Tier 1, Light Anti-Personnel		
S6-6mm	Tier 2, Medium Anti-Personnel		
S6-SCPR .45 ACP	Tier 1, Light Anti-Personnel		
S6-SCPR 10mm	Tier 1, Light Anti-Personnel		
S6-SCPR 6mm	Tier 2, Medium Anti-Personnel		
S6-SCPR .308	Tier 2, Medium Anti-Personnel		
S6-SCPR .50cal	Tier 3, Heavy Anti-Personnel		
S6-SCPR .50cal EM	Tier 3, Heavy Anti-Personnel		

Weapon Mechanisms

Below are the mechanical features and traits of the Harbinger.

- Firing Mechanism: The Harbinger operates on a magnetically-enhanced gas block system. Escaping gas is redirected into the gas block, which causes a high-power electromagnet to reverse its polarity, thereby forcing the block back and unlocking the chamber; when the bolt carrier strikes the back of the weapon, the aforementioned electromagnet reverses polarity again and draws the bolt closed, stripping a new round from the magazine and locking a live round in the weapon's firing chamber thus allowing for an extremely high bolt velocity and a higher mechanical limit on the Harbinger's rate of fire.
- Loading: All of the Harbinger's configurations use a box magazine appropriate to the configuration the weapon has been set to; adapters for magazines are simply swapped to switch between box magazine types.
- Mode Selector: An ambidextrous mode selection switch can be found on either side of the weapon just above the grip on the lower receiver.
- Safety Mechanism: The Harbinger's safety is a button forward of the mode selector that when pressed inwards locks the weapon's action; to unlock, simply press the button now popped out on the opposite side of the receiver in the same spot. The Harbinger additionally features a new biometric safety in the grip and will not fire for an unregistered user on the biometric device.

Last	update:	2023	/12/	21	04:20

Configuration Firing Modes				
Configuration Semi-Automatic Burst Full Aut				
Submachine Gun	✓		✓	
Carbine	✓	1	✓	
Dedicated Marksman Rifle	✓			
Light Machine Gun		1	✓	
Heavy Sniper Rifle	√			

Configuration Weapon Sights		
Configuration Default Sights ¹⁹⁾		
Submachine Gun	Iron Sight or Holosight	
Carbine	Iron Sight or Holosight	
Dedicated Marksman Rifle	Digital Marksman Sight	
Light Machine Gun	Iron Sight or Holosight	
Heavy Sniper Rifle	Oracle 20x Multi-Spectrum Scope	

Configuration Attachment Hardpoints				
Configuration	Underbarrel	Left Side Mount	Right Side Mount	Receiver Top
Submachine Gun	✓			•
Carbine	✓	✓	✓	•
Dedicated Marksman Rifle	✓			1
Light Machine Gun	✓	✓	✓	•
Heavy Sniper Rifle ²⁰⁾	•			1

Pricing

Below is the price of the Harbinger's configurations.

Harbinger Configuration Price Quickchart		
Configuration	Price (KS)	Price (DA)
Submachine Gun	400	800
Carbine	550	1,100
Dedicated Marksman Rifle	600	1,200
Light Machine Gun	650	1,300
Heavy Sniper Rifle	700	1,400
Heavy Sniper Rifle (Electromagnetic Conversion)	725	1,450

Replaceable Parts and Components

Below is the pricing-related information for the Harbinger's replaceable parts and components.

Harbinger Replaceable Part and Component Price Quickchart				
Part Price (KS) Price (DA				
Barrels				
Submachine Gun Barrel	50	100		

2024/05/08 22:42 7/9 BW-MWS2 "Harbinger"

Harbinger Replaceable Part and Component Price Quickchart				
Part	Price (KS)	Price (DA)		
Barrels				
Carbine Barrel	100	200		
Dedicated Marksman Rifle Barrel	120	240		
Light Machine Gun Barrel	150	300		
Heavy Sniper Rifle Barrel	200	400		
Heavy Sniper Rifle Electromagnetic Barrel	225	450		
Magazines				
Submachine Gun Magazine	10	20		
Carbine Magazine	15	30		
Dedicated Marksman Rifle Magazine	20	40		
Light Machine Gun Magazine	50	100		
Heavy Sniper Rifle Magazine	12	24		
Sights				
Holosight	5	10		
Digital Marksman Sight	10	20		
Oracle 20x Multi-Spectrum Scope	20	40		
Receivers ²¹⁾				
Receiver (S6-SCPR .45 ACP)	80	160		
Receiver (S6-10mm/S6-SCPR 10mm)	80	160		
Receiver (S6-6mm/S6-SCPR 6mm)	100	200		
Receiver (S6-SCPR .308)	120	240		
Receiver (S6-SCPR .50cal)	200	400		
Magnetic Focusing Receiver (S6-SCPR .50cal EM)	225	450		
General				
Trigger	2	4		
Adjustable Stock	15	30		
Grip ²²⁾	10	20		

Optional Attachments

Below is the pricing-related information for the Harbinger's optional attachments.

Harbinger Optional Attachment Price Quickchart			
Part	Price (KS)	Price (DA)	
Flashlight	10	20	
Foregrip	5	10	
Laser Sight	10	20	
Volumetric Sight	50	100	
Suppressor	50	100	
Bipod	5	10	
Tripod	5	10	

Harbinger Optional Attachment Price Quickchart			
Part	Price (KS)	Price (DA)	
30-Round Extended Magazine (S6-SCPR .45 ACP)	20	40	
30-Round Extended Magazine (S6-10mm/S6-SCPR 10mm)	20	40	
40-Round Extended Magazine (S6-6mm/S6-SCPR 6mm)	30	60	
100-Round Drum Magazine (S6-6mm/S6-SCPR 6mm)	60	120	
200-Round Extended Box Magazine (S6-6mm/S6-SCPR 6mm)	120	240	
30-Round Extended Magazine (S6-SCPR .308)	40	80	
50-Round Drum Magazine (S6-SCPR .308)	80	160	
20-Round Extended Magazine (S6-SCPR .50cal/S6-SCPR .50cal EM)	24	48	

Ammunition

Below is the pricing-related information for the Harbinger's ammunition.

Harbinger Ammunition Price Quickchart (100 Round Box)			
Ammo Type	Price (KS)	Price (DA)	
S6-10mm (Standard)	100	200	
S6-10mm (Hollow Point)	150	300	
S6-6mm	200	400	
S6-SCPR .45 ACP	200	400	
S6-SCPR 10mm	200	400	
S6-SCPR 6mm	250	500	
S6-SCPR .308	300	600	
S6-SCPR .50cal	400	800	
S6-SCPR .50cal EM	400	800	

OOC Notes

Jack Pine created this article on 2018/09/08 12:44; approved it (using the checklist) on 2018/09/18 18:12.

Products & Items Database		
Product Categories	weapons: rifles	
Product Name	BW-MWS2 "Harbinger"	
Nomenclature	BW-W8-1A	
Manufacturer	Black Wing Enterprises	
Year Released	YE 40	
Price (KS)	400.00 KS	
DR v3 max	Tier 3	

1)

Dependent upon configuration.

2)

Roughly equivalent to 38 centimeters.

2024/05/08 22:42 9/9 BW-MWS2 "Harbinger"

3)

Roughly equivalent to 2.3 kilograms.

4)

Roughly equivalent to 74 centimeters.

5)

Roughly equivalent to 3.2 kilograms.

6)

Roughly equivalent to 81 centimeters.

7)

Roughly equivalent to 3.6 kilograms.

8)

Roughly equivalent to 86 centimeters.

9)

Roughly equivalent to 4.5 kilograms.

10

Roughly equivalent to 99 centimeters.

11)

Roughly equivalent to 5.4 kilograms.

```
12) 13) 15) 16)
```

Dependent upon ammunition.

14)

Roughly equivalent to 823 meters.

17)

Moderate recoil if deployed on a stand.

18

Unless deployed on a stand or prone.

19

All of the Harbinger's weapon sights (iron sight, holosight, digital marksman sight, and Oracle 20x multispectrum sight) can be used by any configuration of the Harbinger; default sights, however, are optimized for role-specific performance needs.

20)

Underbarrel mount can only be used with bipods or tripods.

21

Includes internal components and digital ammo counter system.

221

Includes biometric safety system.

From:

https://wiki.stararmy.com/ - STAR ARMY

Permanent link:

https://wiki.stararmy.com/doku.php?id=corp:bwe:guns:harbinger

Last update: 2023/12/21 04:20

