

Interchangeable High-Volume Capacitor

The IHVC Is a battery made to be utilized as a standard battery for all of [Origin Defense Manufacturing](#) personal weaponry, helping standardize parts and make things easier and less expensive to replace. The IHVC is rechargeable, and can be recharged 5,000 times before wear sets in.

Capacitor


Specifications

Information

- Designer: Rob Robertson III
- Manufacturer: [ODM](#)
- Name: Interchangeable High-Volume Capacitor
- Type: Energy Capacitor
- Role: Battery Magazine
- Length: 5 inches
- Width: 1 inch
- Height: 3 inches
- Mass: 12 ounces
- **Price:** 30 KS/ Battery

Appearance

A small rectangular box, which has superconducting contact points and a locking hook on one end, with a small latch on the other. Along the sides are a set of raised bumps, which serve a number of purposes, depending on the weapon it is being used with.



Charge

DR	# of Shots
Tier 1, Light Anti-Personnel	500 shots
Tier 1, Light Anti-Personnel	300 Shots
Tier 2, Medium Anti-Personnel	100 shots
Tier 2, Medium Anti-Personnel	50 shots
Tier 3, Heavy Anti-Personnel/Tier 3, Heavy Anti-Personnel	10 Shots
Tier 4, Light Anti-Armor	1 shot

Charging Base

Information

Designer: Rob Robertson III Manufacturer: [ODM](#) Name: IHVC Charge Base Type: Energy Capacitor Charge base Role: Recharging Length: 6 inches Width: 10 inches Height: 2 inches Mass: 2 pounds **Charge Time:** 1 Hour Per battery (charges sequentially left to right) **Price:** 50 KS

Appearance

The charging base is a low black box with a cord sticking out the back to be plugged in to an outlet, and five small slots in the front which the batteries are plugged into for recharging.

Products & Items Database	
Product Categories	batteries
Product Name	Interchangeable High Volume Capacitor
Manufacturer	Origin Industries
Price (KS)	30.00 KS

From:
<https://wiki.stararmy.com/> - **STAR ARMY**

Permanent link:
https://wiki.stararmy.com/doku.php?id=corp:origin:interchangeable_high_volume_capacitor

Last update: **2023/12/21 00:58**

