

Salvage Resources

This page is a listing of all the resources in recyclable shipbuilding materials, such as chunks and hulks of starships, pieces of armor, and old compartments. The Bits and pieces are made of valuable resources, and are much easier and cheaper for [Origin](#) to purchase as opposed to mining every resource they need and ruining environments of planets they operate on.

The List

Heavily Damaged NMX-captured Chiharu-class Flagship (S Veritas, TC: 54-38, IC: 2055-5149-86)

Heavily Damaged NMX-captured Irim-class Heavy Gunship (Type 30) (Type 26) (S Veritas, TC: 56-38, IC: 2185-3743-88)

Heavily Damaged NMX-captured Yuumi-class Battleship (S Veritas, TC: 56-41, IC: 2353-549-91)

Heavily Damaged NMX Escort/Destroyer (S Veritas, TC: 64-43, IC: 2809-960-100)

Heavily Damaged NMX Flagship (S Veritas, TC: 58-45, IC: 2609-4872-96)

Neutronium bulkhead (S Halna, TC: 96-75, IC: 7257-43932-160) Neutronium bulkhead (S Lor, TC: 8-76, IC: 657-1501-84) Neutronium bulkhead (S Xyainbor, TC: 16-75, IC: 1257-29382-90) Neutronium bulkhead (S Xyainbor, TC: 25-75, IC: 1932-18657-98) Neutronium bulkhead (S Xyainbor, TC: 32-75, IC: 2457-10932-104) Neutronium bulkhead (S Xyainbor, TC: 49-76, IC: 3732-16169-120) Neutronium chunk (S Xyainbor, TC: 41-41, IC: 1697-21254-78) Neutronium chunk (S Xyainbor, TC: 48-41, IC: 1977-2804-84) Titanium Alloy Bulkhead (intact) (S Lor, TC: 98-53, IC: 5153-2283-140) Andrium Armor bulkhead, intact (S Nepleslia Ring, TC: 75-78, IC: 5907-8793-144) Andrium Armor chunk, intact (S Halna, TC: 75-72, IC: 5457-37497-138) Andrium Armor chunk, intact (S Halna, TC: 75-72, IC: 5457-39009-138)

Airlock for starship hull (S Elysia, TC: 4-96, IC: 441-9561-100) Airlock for starship hull (S Elysia, TC: 73-93, IC: 6846-8241-158) Airlock for starship hull (S Elysia, TC: 99-93, IC: 9264-3126-181) Airlock for starship hull (S Halna, TC: 92-94, IC: 8705-47151-175) Anti-gravity generator (S Halna, TC: 28-81, IC: 2325-39099-106) Anti-gravity generator (S Halna, TC: 33-81, IC: 2730-45579-111) Anti-gravity generator (S Halna, TC: 75-62, IC: 4707-36947-128) Anti-gravity generator (S Nepleslia Ring, TC: 71-81, IC: 5808-10668-144) Nose Beam (damaged, but repairable) (S Elysia, TC: 94-68, IC: 6449-6381-151) Nose Beam (damaged, but repairable) (S Halna, TC: 84-69, IC: 5769-28761-143)

- Blast shutter assembly, Zesuaum (S Hoshi No Iori, TC: 82-73, IC: 6043-15825-146)
- Blast shutter assembly, Zesuaum (S Lor, TC: 25-73, IC: 1882-3853-95)
- Blast shutter assembly, Zesuaum (S Lor, TC: 54-83, IC: 4539-15246-131)
- Blast shutter assembly, Zesuaum (S Xyainbor, TC: 20-73, IC: 1517-42397-91)
- Blast shutter assembly, Zesuaum (S Xyainbor, TC: 33-73, IC: 2466-28527-103)
- Blast shutter assembly, Zesuaum (S Xyainbor, TC: 56-83, IC: 4705-38569-133)
- Blood Stained Shackles (S Halna, TC: 98-10, IC: 939-4237-97)
- Blood Stained Shackles (S Hoshi No Iori, TC: 92-10, IC: 885-3327-91)

- Blood Stained Shackles (S Xyainbor, TC: 1-10, IC: 66-5697-11)
- Blood Stained Shackles (S Xyainbor, TC: 3-10, IC: 84-4777-13)
- Blood Stained Shackles (S Xyainbor, TC: 9-10, IC: 138-2947-18)
- Blood Stained Shackles (S Xyainbor, TC: 24-9, IC: 273-147-31)
- Blood Stained Shackles (S Xyainbor, TC: 34-10, IC: 363-1577-40)
- Blood Stained Shackles (S Xyainbor, TC: 48-10, IC: 489-3747-53)
- Scalar Pulse Cannon components (S Hoshi No Iori, TC: 76-76, IC: 5833-29317-143)
- Scalar Pulse Cannon components (S Hoshi No Iori, TC: 92-76, IC: 7049-26429-157)
- Scalar Pulse Cannon components (S Lor, TC: 23-76, IC: 1805-13433-97)
- Scalar Pulse Cannon components (S Xyainbor, TC: 38-77, IC: 2945-35092-111)
- Scalar Pulse Cannon components (S Xyainbor, TC: 49-76, IC: 3781-10925-120)
- Sealed organic computer system, alive (S Elysia, TC: 67-76, IC: 5149-2185-135)
- Section of a torture facility (with occupants? Mod determined) (S Hoshi No Iori, TC: 70-89, IC: 6287-33788-151)
- Section of a torture facility (with occupants? Mod determined) (S Lor, TC: 23-89, IC: 2104-12695-110)
- Section of a torture facility (with occupants? Mod determined) (S Xyainbor, TC: 25-89, IC: 2282-41887-112)
- Section of a torture facility (with occupants? Mod determined) (S Xyainbor, TC: 28-89, IC: 2549-1125-114)
- Section of a torture facility (with occupants? Mod determined) (S Xyainbor, TC: 34-89, IC: 3083-9224-119)
- Section of a torture facility (with occupants? Mod determined) (S Xyainbor, TC: 46-89, IC: 4151-29516-130)
- Section of catwalk (S Halna, TC: 19-49, IC: 969-28820-66)
- Section of catwalk (S Halna, TC: 46-49, IC: 2265-20000-90)
- Section of catwalk (S Hoshi No Iori, TC: 81-17, IC: 1434-3814-89)
- Section of catwalk (S Lor, TC: 5-18, IC: 142-2469-23)
- Section of catwalk (S Lor, TC: 11-18, IC: 244-1353-28)
- Section of catwalk (S Lor, TC: 23-17, IC: 448-3100-38)
- Section of catwalk (S Veritas, TC: 15-48, IC: 762-3801-62)
- Section of catwalk (S Xyainbor, TC: 7-17, IC: 176-5786-24)
- Section of catwalk (S Xyainbor, TC: 12-18, IC: 261-7437-29)
- Section of catwalk (S Xyainbor, TC: 13-17, IC: 278-8234-29)
- Section of catwalk (S Xyainbor, TC: 21-17, IC: 414-10002-36)
- Section of catwalk (S Xyainbor, TC: 30-18, IC: 567-7815-45)
- Section of catwalk (S Xyainbor, TC: 60-31, IC: 1857-10876-84)
- Section of Scalar Wave Array (S Lor, TC: 10-79, IC: 847-15778-88)
- Section of Scalar Wave Array (S Xyainbor, TC: 1-80, IC: 136-21177-81)
- Section of Scalar Wave Array (S Xyainbor, TC: 11-79, IC: 926-43507-89)
- Section of Scalar Wave Array (S Xyainbor, TC: 14-79, IC: 1163-32763-92)
- Section of Scalar Wave Array (S Xyainbor, TC: 46-79, IC: 3691-35607-120)
- 16 Sharp shards of starship armor
- Shielding System components (S Elysia, TC: 68-51, IC: 3457-312-111)
- Ship's armory (S Elysia, TC: 73-96, IC: 7065-4185-161)
- Ship's armory (S Lor, TC: 1-96, IC: 153-13017-97)
- Ship's armory (S Lor, TC: 6-96, IC: 633-6489-102)
- Ship's armory (S Veritas, TC: 8-96, IC: 825-4569-104)

- Ship's bridge (S Elysia, TC: 5-97, IC: 542-2191-102)
- Ship's bridge (S Elysia, TC: 67-94, IC: 6355-6637-153)
- Ship's bridge (S Halna, TC: 35-97, IC: 3452-39342-128)
- Ship's bridge (S Halna, TC: 42-97, IC: 4131-45453-134)
- Ship's bridge (S Hoshi No Iori, TC: 45-93, IC: 4197-23121-133)
- Ship's bridge (S Hoshi No Iori, TC: 64-92, IC: 5945-30509-149)
- Ship's bridge (S Hoshi No Iori, TC: 65-92, IC: 6037-26553-150)
- Ship's bridge (S Lor, TC: 30-95, IC: 2907-3002-122)
- Ship's bridge (S Nepleslia Ring, TC: 50-97, IC: 4907-6168-141)
- Ship's wardroom table (S Hoshi No Iori, TC: 4-58, IC: 285-13803-62)
- Ship's wardroom table (Star Army of Yamatai, TC: 88-57, IC: 5073-4104-135)
- Sound-powered telephone (S Halna, TC: 17-46, IC: 822-609-62)
- Sound-powered telephone (S Halna, TC: 49-45, IC: 2262-23682-89)
- Sound-powered telephone (S Halna, TC: 68-42, IC: 2913-21351-102)
- Sound-powered telephone (S Xyainbor, TC: 75-27, IC: 2007-4539-94)
- Sound-powered telephone (S Xyainbor, TC: 78-27, IC: 2085-7347-96)
- Sound-powered telephone (S Xyainbor, TC: 78-27, IC: 2085-11208-96)
- Spiral Hatch with Airlock (S Xyainbor, TC: 44-40, IC: 1773-22657-79)
- Spiral Hatch with Airlock (S Xyainbor, TC: 49-40, IC: 1968-5977-84)
- Starship controls from pilot station (S Halna, TC: 7-58, IC: 456-24243-65)
- Starship controls from pilot station (S Halna, TC: 64-39, IC: 2553-21546-96)
- Starship controls from pilot station (S Halna, TC: 85-75, IC: 6347-2382-150)
- Starship controls from pilot station (S Halna, TC: 88-74, IC: 6569-1093-152)
- Starship controls from pilot station (S Hoshi No Iori, TC: 43-40, IC: 1734-15657-78)
- Starship controls from pilot station (S Hoshi No Iori, TC: 62-40, IC: 2475-14937-95)
- Starship controls from pilot station (S Lor, TC: 96-39, IC: 3705-2358-124)
- Starship controls from pilot station (Star Army of Yamatai, TC: 98-40, IC: 3879-1137-127)
- Starship controls from pilot station (S Xyainbor, TC: 76-40, IC: 3021-20697-107)
- Starship controls from pilot station (S Xyainbor, TC: 85-40, IC: 3372-12937-115)
- Starship controls from pilot station (S Xyainbor, TC: 89-40, IC: 3528-16097-119)
- Starship internal gravity generator (Star Army of Yamatai, TC: 83-71, IC: 5950-4246-145)
- Steel Bulkhead (damaged) (S Lor, TC: 78-50, IC: 3957-10057-119)
- Steel Bulkhead (damaged) (S Lor, TC: 86-51, IC: 4357-3984-127)
- Subspace transceiver, ship (S Elysia, TC: 72-90, IC: 6537-327-154)
- Subspace transceiver, ship (S Elysia, TC: 74-90, IC: 6717-1857-156)
- Subspace transceiver, ship (S Elysia, TC: 94-91, IC: 8517-4516-174)
- Subspace transceiver, ship (S Halna, TC: 30-85, IC: 2607-50717-112)
- Subspace transceiver, ship (S Halna, TC: 38-86, IC: 3287-48647-120)
- Subspace transceiver, ship (S Hoshi No Iori, TC: 5-69, IC: 397-15444-74)
- Subspace transceiver, ship (S Hoshi No Iori, TC: 44-69, IC: 3049-24552-108)
- Subspace transceiver, ship (S Lor, TC: 5-49, IC: 302-1527-54)
- Subspace transceiver, ship (S Lor, TC: 7-49, IC: 400-7113-56)
- Subspace transceiver, ship (S Lor, TC: 51-68, IC: 3525-9101-113)
- Subspace transceiver, ship (S Lor, TC: 54-69, IC: 3729-747-117)
- Subspace transceiver, ship (S Nepleslia Ring, TC: 84-80, IC: 6693-9497-154)
- Subspace transceiver, ship (S Xyainbor, TC: 11-49, IC: 596-17011-59)
- Subspace transceiver, ship (S Xyainbor, TC: 53-69, IC: 3661-35040-116)

Already Used

From:

<https://wiki.stararmy.com/> - **STAR ARMY**

Permanent link:

https://wiki.stararmy.com/doku.php?id=corp:origin:salvage_resources

Last update: **2023/12/21 00:58**

