2024/05/19 16:44 1/3 Styrling Ripshot

Styrling Ripshot

With the rise of violent crime caused by often drug-induced criminals, Styrling found it appropriate to deliver a weapon unto law enforcement, military and civillian individuals who require the ultimate in self defense. After all, will kind words calm down the rioting mob outside your house? No, but the damaging hollowpoint rounds from the Styrling Ripshot sure will.

Weapon Specifications

Nomenclature Information

Designer: John Skwigleff Manufacturer: Styrling Vervaardiging Name: Styrling Ripshot (Sv-SPDW-01a) Type: Submachine Gun Role: Personal Defense Weapon Length: 25.3 inches **Barrel Length:** 8.9 inches Mass: 5.12 lbs **ROF:** 800 RPM.

Appearance



Discharge Information

Projection/ammo type: 9mm Styrling

Firing Mechanism

Roller-Delayed Blowback

In roller-delayed blowback the barrel is fixed and does not recoil. As the bolt head is driven rearward, rollers on the sides of the bolt are driven inward against a tapered bolt carrier extension. This forces the bolt carrier rearward at a much greater velocity and slows movement of the bolt. The primary advantage

of roller-delayed blowback is the simplicity of the design compared to gas or recoil operation.

Ammunition Description

Caliber: 9mm Styrling Effective Range 130 Meters Maximum Range: 250 Meters Muzzle Velocity: 1210 (FPS) Muzzle Blast: Small muzzle flash. Firing Mode: Single, Auto Recoil: Low (Single, bursts) Moderate (Full-auto).

9MM Styrling

Visual Description: Brass casing with a hollow-point shell. **Ammo:** 30 per magazine, 1 in chamber **Damage Rating:** Tier 1, Light Anti-Personnel-2. Damage Description: Hollow-points enter the body and expand, causing further damage to internal organs.

Weapon Mechanisms

Safety: Rotating lever on the left side of the gun, up and to the right of the trigger group. **Fire Mode Selector:** Safe, Semi, Full Auto. **Weapon Sight:** Ghost Ring Sights. **Attachment Hard Points:** One on the top of the carrying handle and on the forward grip.

Other

Field Maintenance Procedure: Wipe and clean after every mission, taking care to scrub the barrel down and all moving parts.

Pricing: 950 DA.

Replaceable Parts and Components:

- Extra Barrel (350 DA)
- Low-capacity Magazine (15 Rounds, 20 DA each.)
- High-capacity Magazine (30 Rounds, 40 DA each.)

Additional Ammo:

• Box of 30 Rounds (30 DA)

Accessories:

- 3-Point Sling (10 DA, Free with purchase)
- Red Dot Sight (90 DA)

https://wiki.stararmy.com/ Printed on 2024/05/19 16:44

From:

https://wiki.stararmy.com/ - STAR ARMY

Permanent link:

https://wiki.stararmy.com/doku.php?id=corp:styrling:styrling_ripshot

Last update: 2023/12/21 00:58

