


HS-AD3-1c Fuâmy Anomovi (Border Monitor)

The Fuâmy Anomovi are satellites used by the [Poku Saeruo Degonjo](#) to monitor their territory, the current model came into use in has constructed, it became available in 724CY ([YE 15](#)).

About the Fuâmy Anomovi

These are autonomous satellites deployed as a network forming a web of detection. Working in concert they can pin point ships or other objects in space. They provide this information to the nearest [HS-ST3-1a Fuâmy'a Ruomâqi \(Watcher Stations\)](#).



History

The Fuâmy Anomovi were developed in the past to help the clan monitor space around the [Siama Rya \(Soul of the Divine\)](#). These were part of the network that worked with the [HS-ST3-1a Fuâmy'a Ruomâqi \(Watcher Stations\)](#) to defend against incursions. Over the years the units have been modified, and capabilities enhanced as new sensors were created.

Appearance

The Fuâmy Anomovi is a geodesic sphere. It is painted with the standard clan colors, and has ten thruster clusters across its surface. Protruding from the rear are four plasma drives. Above the drives a maintenance hatch is visible. On the front there are two panels which is where the sensor array is installed.

Statistical Data

General

Class: Fuâmy Anomovi Nomenclature: HS-AD3-1c Type: Satellite Designers: [Otâmovi Wiy Jael \(Silver Moon Sect\)](#) Manufacturer: [Otâmovi Wiy Jael \(Silver Moon Sect\)](#) on [Poku Movi Vamâqi \(Clan Void Berth\)](#)

Crew and Accommodations

Crew: 0

Dimensions

Length: 5.4 meters (17.71 feet) Width: 4.6 meters (15.09 feet) Height: 4.6 meters (15.09 feet)

Propulsion and Range

Speeds

The Fuâmy Anomovi a very nimble drone.

- [Plasma Thrusters](#)
- Class 2A Maximum speed .25c (~74,948 kilometers per second) (~46,570 miles per second)

Durability and Maintenance

Service Lifespan: Estimated 10 years of constant use, possibly longer with refits.

Refit Cycle: Routine updates are done when returned to [Degonjo Saeruo \(Hidden Sun System\)](#) by the [Silver Moon Sect](#) at the [Poku Movi Vamâqi \(Clan Void Berth\)](#)

Damage Capacity

See [Damage Rating \(Version 3\)](#) for an explanation of the damage system.


- Hull: 16 (Armor)
- Ablative Armor: 12 (Threshold 3) (Armor)

Inside the Fuâmy Anomovi

The interior of the Fuâmy Anomovi is a single compartment accessed through a maintenance hatch. It has no life support system, so the repairs are made in protective gear, unless the unit is brought into a ship for repairs.

The various system components are mounted into racks along the walls and the generator is located in the center.

Systems



Sensors

- [Tinsae Mâbor'a \(Starship Sensors\)](#)

Computer / Communications

- [Ta'te Goly Norjopa \(Far Talking Systems\)](#)
- [Jodau Fiqorka \(Module Brain\)](#)

Power

- [Movi Geanme Tyokanorjopa \(Quantum Foam Reactor\)](#)
 - [Gean Norjopa \(Generator\)](#)

Last update:

2023/12/21 faction:hidden_sun_clan:ships:border_monitor https://wiki.stararmy.com/doku.php?id=faction:hidden_sun_clan:ships:border_monitor
04:22

Propulsion

- [Tinvymai Tyokame \(Plasma Drives\)](#)
- [Gean Vymasa \(Ion Thruster\)](#)

Defenses

- [Qotim Anoka'ano Anomu'te \(Ablative Armor Plating\)](#)

From:

<https://wiki.stararmy.com/> - **STAR ARMY**

Permanent link:

https://wiki.stararmy.com/doku.php?id=faction:hidden_sun_clan:ships:border_monitor

Last update: **2023/12/21 04:22**

