

Portable Medical Scanner PMS-2M

PMS is a solution to improving [triaging](#) and diagnosing patients in the field. One of the challenges for medics in the field is accurately diagnosing patients wearing power armor. It started being distributed in [YE 44](#).

About the PMS-2M

Note: The PMS-2M should be used by medically trained personnel.

- Organization Using This item: [Star Army of Yamatai](#)
- Type: Handheld medical scanner
- Nomenclature: PMS-2M
- Designers: [Ketsurui Zaibatsu](#) Research and Development teams, Star Army Research Administration
- Manufacturers: [Ketsurui Zaibatsu](#), [Star Army of Yamatai](#)
- Date entered service: [YE 44](#)

Cost: Not available on the market for civilians

- PMS-2M costs 2,500 [KS](#)
- pack of medi-nanos w/booster pad 250 [KS](#) contains 10 charges.

Note: [Medical Scanner Charging Station](#) provides convenient charging and reloading.

Components

Injector

The injector is a standard hypospray injector. The user loads the injector with scanner nanomachines from the controller pad. Prior to injecting the user must either use the default value for the batch of nanomachines or can specify a temporary name for use, eg. instead of using Lot 2A Batch 27K, the user could put the name of the patient.

An attachment is provided to inject the scanner nanomachines thru the emergency port of most power armor.

Scanner nanomachines

These nanomachines are designed to operate only inside the body of the patient. The PMS-2M series using programmable nanomachines. Prior to injection, they are programmed with the basic “schematic”

of the patient species.

At present the following nanomachine templates exist.

- Human
- Nekovalkyrja
- Minkan
- Elf
- Elysian
- Caelisolan
- Tula
 - Tuoro
- Qaktoro
 - Qakla

Initialization

Once injected the nanomachines swarm and scan the patient providing telemetry such as temperature, blood pressure, heart rate, and respiration. They perform a dianostic on the patient neural network, and then establish a connection to the booster patch.

Diagnosis

After the initialization, the nanomachines feed data to the controller pad indicating damage found. The user can select a damage point from the controller pad and the nanomachines will swarm to the location and allow the medic to see the injury from the inside.

The scanner nanomachines can be used to defibrillate the patient's heart, but this will most likely destroy those nanomachines.

Nanomachines can only operate for 24 hours, and self-dissolve.

Booster patch

This patch serves as signal booster between the scanner nanomachines and the controller pad. When a batch of nanomachines is initialized in the controller, the patch is coded for them. The patch can be applied to the skin or the outside of armor. It picks up the nanomachines' signals and boosts them enough for the controller pad to receive them. Like the nanomachines, the power cell lasts only 24 hours.

Controller pad

The controller pad is capable of monitoring up to 8 different patients. The user can set audio, visual or mental alert if a patients vital signs change and set the criteria.

The controller is a dual transceiver unit. One is dedicated to communicating with the scanner nanomachines. The other is for connecting to other systems.

The controller is capable of interfacing to standard communications ports, such as the [Star Army Communicator, Type 36](#) or "[Enkei](#)" [Visual Enhancement Visor, Type 41](#). It contains a high-capacity, removable internal storage, a standard wireless communications device, a [volumetric display](#) and standard interfaces for external storage. There is also an expansion port for future upgrades. The controller pad has solar panels along the edge for recharging its power cells. Without recharging the controller pad will run for 36 hours of continuous operation. The controller pad can have medical records downloaded to it prior to deployment.

Functions

- Identify foreign objects
- Identify bone fractures
- Identify damage to organs
- Identify damage to blood vessels
- Identify damage to neural system

Range to booster patch Controller pad must be within 30 meters or signal will be lost.

OOC Notes

[Nashoba](#) created this article on 2020/01/15 19:44. Touched up by [Yuuki](#). [Approval Thread](#)

Star Army Logistics	
Supply Classification	Class J - MEDICAL BIOLOGICAL
First Used	YE 44
Products & Items Database	
Product Categories	electronics, medical, tools
Product Name	Portable Medical Scanner
Nomenclature	PMS-2M
Manufacturer	Ketsurui Zaibatsu
Year Released	YE 44
Price (KS)	2,500.00 KS

Last
update:
2024/04/07 14:18 stararmy:equipment:pms-2m_medical_scanner https://wiki.stararmy.com/doku.php?id=stararmy:equipment:pms-2m_medical_scanner

From:
<https://wiki.stararmy.com/> - **STAR ARMY**

Permanent link:
https://wiki.stararmy.com/doku.php?id=stararmy:equipment:pms-2m_medical_scanner



Last update: **2024/04/07 14:18**